



TO: DIVISION OF LAND POLLUTION FILE DATE: 2-29-84
FROM: L A Crivello ☒ Information only
SUBJECT: COOK Co LPC 03118610 ILD054348172 ☐ Response requested

DESCRIPTION OF SITE

THIS FACILITY CONSISTS OF AN ENCLOSED BUILDING 25' X 100'. WASTE ACIDS AND SOLVENTS GENERATED AT THE MELECTRONICS CORP AT 1635 NORTH 25TH AVE ARE PUT INTO 55 GAL DRUMS AND SHIPPED TO THIS FACILITY WHICH IS APPROX 1/2 MILE SOUTH. THE DRUMS ARE UNLOADED INSIDE THE BUILDING WHICH HAS A CONCRETE FLOOR AND A BERM AT THE ENTRANCE TO CONTAIN ANY SPILLS. THERE IS NO TREATMENT OR DISPOSAL OF WASTE AT THIS FACILITY.

Problems.

THIS FACILITY IS A STORAGE AREA THAT IS CONTAINED AND WELL SECURED I HAVE NOT OBSERVED ANY PHYSICAL PROBLEMS.

Conclusions

IN MY OPINION THIS FACILITY SHOULD BE CONSIDERED AS LOW PRIORITY AND INSPECTED AS ~~SH~~ SUCH

EPA Region 5 Records Ctr.



379277